

Product name	FISPQ nº: 0022
Paste to Mount and Dismount Tires	Page: 1 de 7
Paste to mount and Dismount Thes	Revision: Abr/2007

1'1. Product and company identification						
Product name:	Product name: Paste for Mounting and Dismounting Tires					
Internal product identification code:	503006					
Company name:	BORRACHAS VIPAL S/A					
Address:	Rua Buarque de Macedo, 365 95320-000 Nova Prata - RS - Brasil					
CNPJ registration number	87870952/0001-44					
Company phone number:	(54) 242-1666					
Emergency phone number:	(54) 242-1666					
■ Fax:	(54) 242-1736					
■ E-mail:	vipal@vipal.com.br					

2. Composition and ingredient information						
Preparation Lubricant of vegetable oil raw material base						
Chemical nature:	Chemical nature: Saponified vegetable fats, alkalis, dye and essence					
Ingredients or impurities that contribute towards danger.						
Chemical or generic name Concentration or concentration level Danger classification and labeling						
Does not possess ingredients or impurities with sufficient concentration to contribute to danger						

3. Identification of dangers						
Мо	st important dangers:	No known special risk.				
Product effects:						
₽	Adverse effects for human health:					
\Box	Environmental effects:					
¢	Physical and chemical dangers:					
\Box	Specific dangers:	Unknown.				
Main symptoms:						
Chemical product classification						
Ge	neral emergency instruction:	1				

4. First aid measures					
First aid measures:					
⇔ Inhalation:	Remove the person to fresh air, and, if necessary, help them to breathe. Medical Assistance.				
Skin contact.	Wash with plenty of soap and water.				
⇔ Eye contact.	Irrigate with running water for at least 15 minutes, with eyelids wide open. See an eye doctor.				
⇔ Swallowing:	Wash out mouth and drink plenty of water				
Actions to be avoided:	Prolonged skin and eye contact.				
 Brief description of main symptoms and effects: 	There are no significant effects or symptoms for this product.				
■ First aid measures:	Immediately remove contaminated clothing and see a physician.				



Product name	FISPQ nº: 0022
Paste to Mount and Dismount Tires	Page: 2 de 7
Paste to mount and Dismount Thes	Revision: Abr/2007

5. Fire fighting measures					
 Appropriate means for fire extinguishing: Water, dry chemical powder, foam or carbon dioxide. 					
 Non-appropriate means of fire extinguishing: 	Any other means.				
Specific dangers:					
Special methods:	Unknown				
Protection for fire fighters:					

	6. Measures to control spills and leaks						
	Personal precautions:						
I	⊳	Removal of ignition sources:	Eliminate all ignition sources, avoid sparks and flames, do not smoke in the risk area. Isolate the spilled material from all ignition sources				
-	₽	Dust control:	Not applicable				
	¢	Prevention from inhalation, skin, mucous and eye contact:	Not applicable				
	En	vironmental precautions:					
	₽	Alarm system:	Isolate the area affected by the spilled material.				
	Cle	eaning methods:					
	⊳	Recovery:	Manual/mechanical collection.				
	⊳	Neutralization:	Not applicable.				
	¢	Disposal:	Confine, if possible, for future recovery and disposal.				
	⊳	Secondary dangers prevention:	Not applicable				



Product name	FISPQ nº: 0022
Paste to Mount and Dismount Tires	Page: 3 de 7
Paste to mount and Dismount Thes	Revision: Abr/2007

7. Handling and storage								
 Handling 								
Technical measures:	⇒ Technical measures:							
- Preventing workers exposure:	exposure: Not applicable.							
- Preventing fire and explosion:	Not applicable							
- Precautions for safe handling:	Handle with care to avoid body lesions.							
Orientation for safe handling:	Supply handling devices and transport aids if needed.							
■ Storage:								
Appropriate technical measures:	Unspecified							
Storage conditions:								
- Adequate:	Store in a dry location at room temperature							
- To avoid:								
	As per norm 704 of the NFPA – National Fire Protection Agency:							
	Health: 0							
- Risk signaling:	Inflammable: 1							
	Reactivity: 0							
	Special: -							
- Incompatible products and materials:	Not applicable.							
Safe packaging material	s:							
- Recommended:	The manufacturer's package							
- Incompatible products and materials:	products and Any other package.							



Product name	FISPQ nº: 0022
Paste to Mount and Dismount Tires	Page: 4 de 7
Paste to mount and Dismount Thes	Revision: Abr/2007

8. Exposure control and individual protection										
Engineering control measure										
Specific control parameters										
🗢 Limits	Limits of occupational exposure:									
	NR - 15 ACGIH									
Ingredient	№ CAS	LT-MP		VM		TLV – TWA (8h exposure)		TLV - ST		
		ppm	mg/m³	ppm	mg/m³	ppm mg/m³		ppm	mg/m³	Exposure time
As it does not	-		ions that c	ause da	nger, ther	e are no li	mits for occ	cupational	exposure.	-
CAS = Chemical NR 15 = Regulati ACGIH = America LT - MP = Tolera TLV - TWA = Thi TLV - STEL = Thi	ng norm for u an Conference nce limit – po reshold Limit reshold Limit	nhealthy a e of Gover ndered me Value – Tir	nmental and eans me Weighted	Industrial Average	Hygienists	inistry				
Biological	indicators:									
Ingradia	nt					Toxicologi		1		
Ingredie	m	Oral DL	₅₀ (mg/kg)		ermal DL ₅₀		alation CL ₅₀		IDHL	
	AS it doe	s not pos	sess conc	entratio	ns that ca	use dange	er, there is r	no biologio	cal data.	
IDHL = Immediately Dangerous to Life or Health $DL_{50} = Dose of a chemical substance that causes the death of 50% of a group of animals of the same species, when administered in the same way (oral or dermal) (DL= Lethal Dose) CL_{50} = Lethal atmospheric concentration of a chemical substance that causes death of 50% of a group of animals exposed for a determined time (CL =Lethal concentration)$										
Other values	<i>limits and</i> :	Not	applicable							
Recomment	nded monito	ring proce	edures							
Ingradiant	To	olerance l	evel Contamination assessment methods							
Ingredient	In the a	air	IBMP		In	the air			biologica	1
As it does not	-			ause da	nger, mor	nitoring is	not applica	ble.		
IBMP maximum b	biological inde	x allowed	(NR-7 MTb)							
 Appropriate 	e individual j	protection	equipment							
🌣 Respir	atory protec	tion:	Not applic	able						
🗢 Hand j	Hand protection Latex or PVC gloves.									
Eye protection Safety glasses or facial protection.										
Skin and body protection: Industrial clothing.										
 Special pre 	Not applicable									
 Good ventilation in the work area. Exhaust. Maintain recipients closed. Maintain work area clean. Do not eat, drink or keep food in the working area. Wash your hands with plenty of soap and water after handling the product. A shower and eye wash is recommended in the work area. 										



Product name	FISPQ nº: 0022
Paste to Mount and Dismount Tires	Page: 5 de 7
Paste to mount and Dismount Thes	Revision: Abr/2007

9. Physical-chemical properties		
- Incompatible products and materials:	Paste	
Safe packaging materials:	Not applicable.	
- Recommended:	Blue	
- Incompatible products and materials:	Specific of the product.	
Safe packaging materials:	9,0 – 10,0 (solution of 1%)	
- Recommended:		
- Incompatible products and materials:	Not applicable.	
Safe packaging materials:	Not applicable.	
- Recommended:	Not applicable	
- Incompatible products and materials:	1,08 g/l	
Safe packaging materials:	Miscible.	

10. Stability and reactivity			
 Specific conditions 	Specific conditions		
⇔ Instability:	Stable product under normal conditions of usage.		
Dangerous reactions	None when transformed according to the instructions.		
 Conditions to avoid: 	Undetected		
Incompatible materials or substances:	Undetected.		
 Need to add additives or inhibitors 	Undetected.		
 Dangerous products resulting from decomposition: 	None when transformed according to the instructions		

11. Toxicological information		
Information according to different types of exposure		
⇔ Acute toxicity:	As it does not possess concentrations that cause danger, the workers health is preserved.	
⇔ Local effects:	As it does not possess concentrations that cause danger, the workers health is preserved.	
Chronic toxicity:	As it does not possess concentrations that cause danger, the workers health is preserved.	
Substances that have effects:		
⇒ Additives	Unknown	
Potentiation	Unknown.	



Product name	FISPQ nº: 0022
Paste to Mount and Dismount Tires	Page: 6 de 7
Faste to mount and Dismount Thes	Revision: Abr/2007

12. Ecological information			
 Environmental effects, product behavior and impact. 			
¢	Persistence/degradability:	Due to its characteristics, product degradability is undetermined	
¢	Bioaccumulation:	Unknown	
₽	Environmental impact.	In its natural state, it has no environmental impact. If the product remains in nature, it may, in case of combustion, contaminate the soil, air and water.	

13. Considerations regarding treatment and disposal			
 Treatment and disposal me 	 Treatment and disposal methods: 		
⇔ Product.	The product that is not used should be treated as residue and disposed in a covered area, in closed recipients, in good state, identified, and delivered for treatment to allocation that has been duly licensed by the competent environmental organ.		
⇔ Product remains:	Remains of the product used should be treated as residue and disposed in a covered area, in closed recipients, in good state, identified, and delivered for treatment to allocation that has been duly licensed by the competent environmental organ.		
⇔ Use Package:	The packages should be disposed in a covered area, in closed recipients, in good state, identified, and delivered for treatment to allocation.		

14. Information regarding transportation		
 National and International regulation: 		
Land and river.		Product not classified as dangerous according to Decree 204/97.
→ Maritime		Product not classified as dangerous according to IMO.
⇔ Air		Product not classified as dangerous according to IATA.
Specific conditions and measures for	transport	
Land, river and maritime:	Unknown	

15. Regulations		
Regulations:		
Information regarding risks and safety as found on the label:	As the product does not possess dangerous features, this information is not applicable.	



Product name	FISPQ nº: 0022
Paste to Mount and Dismount Tires	Page: 7 de 7
	Revision: Abr/2007

	16. Other information Examples		
■ E			
⇔	Special training needs:	The user of this product should be qualified for handling, operation and application of this product.	
¢	Recommended use and possible restrictions for chemical products	Recommended for tire retreads and rubber artifacts.	
₽	Bibliographic references:	cbm Indústria Química – FISPQ	

The information and recommendations found in this publication were collected from trustworthy sources. The data found on this form refers to a specific product. With the information contained in this form, Borrachas Vipal S/A does not intend to establish absolute and definitive information regarding the product and its risks, but only to give subsidies of known information to its employees and clients for their individual protection, continued operational maintenance and environmental preservation.